

Middlesex University Research Repository

An open access repository of

Middlesex University research

<http://eprints.mdx.ac.uk>

Lataniotis, Lazaros, Albrecht, Andreas A., Kok, Fatma, Monfries, Clinton, Benedetti, Lorena, Lawson, Nathan D., Hughes, Simon M., Steinhofel, Kathleen, Mayr, Manuel and Zampetaki, Anna (2017) Crispr/Cas9 gene editing reveals novel tertiary constraints in clustered mirna processing. Heart, 103 (5) . A133. ISSN 1468-201X [Article]
(doi:10.1136/heartjnl-2017-311726.193)

Final accepted version (with author's formatting)

This version is available at: <https://eprints.mdx.ac.uk/21971/>

Copyright:

Middlesex University Research Repository makes the University's research available electronically.

Copyright and moral rights to this work are retained by the author and/or other copyright owners unless otherwise stated. The work is supplied on the understanding that any use for commercial gain is strictly forbidden. A copy may be downloaded for personal, non-commercial, research or study without prior permission and without charge.

Works, including theses and research projects, may not be reproduced in any format or medium, or extensive quotations taken from them, or their content changed in any way, without first obtaining permission in writing from the copyright holder(s). They may not be sold or exploited commercially in any format or medium without the prior written permission of the copyright holder(s).

Full bibliographic details must be given when referring to, or quoting from full items including the author's name, the title of the work, publication details where relevant (place, publisher, date), pagination, and for theses or dissertations the awarding institution, the degree type awarded, and the date of the award.

If you believe that any material held in the repository infringes copyright law, please contact the Repository Team at Middlesex University via the following email address:

eprints@mdx.ac.uk

The item will be removed from the repository while any claim is being investigated.

See also repository copyright: re-use policy: <http://eprints.mdx.ac.uk/policies.html#copy>

AbstractTitle: CRISPR/CAS9 GENE EDITING REVEALS NOVEL TERTIARY CONSTRAINTS IN CLUSTERED MIRNA PROCESSING

Submission Date : 01/03/2017

Category: Basic Science

KeyWords

CRISPR/CAS9, GENE EDITING, MICRORNA

Introduction: MicroRNAs (miRNAs) play an important role in the cellular function. They often form families, with members sharing high sequence homology, a property that hampers miRNA research as there is a lack of elegant tools for specific miRNA manipulation.

Objective: To establish a reliable workflow for miRNA inhibition using genome editing.

Methods and Results: This study focused on miR-195, a member of the miR-15 family and employed the CRISPR-Cas9 system. To this end we generated mouse vascular smooth muscle cells (VSMCs) stably expressing Cas9 nuclease. Cells were then transfected with an *in vitro* transcribed single guide RNA targeting the miR-195 stem loop. T7 endonuclease I assay (T7EI) and Sanger sequencing confirmed efficient editing. QPCR demonstrated effective decrease of miR-195 but not of miR-15a and miR-16, two highly expressed members of the miR-15 family in VSMCs. Surprisingly the expression of miR-497 was also decreased in edited cells. Noteworthy, miR-195 and miR-497 form a miRNA cluster and are co-transcribed as a primary miRNA. No gene editing was detected by T7EI and sequencing of the mir-497 genomic locus. Computational simulation predicted that mutations of the miR-195 stem loop led to changes in the three dimensional structure of the primary miR-497~195 transcript that could affect its processing to mature miRNAs.

Similar findings were obtained the miR-143~145 cluster that encodes miR-143 and miR-145a, two miRNAs that do not belong to the same family, show no sequence homology and play a pivotal role in vascular biology. Specific targeting of the mir-145a locus effectively inhibited the expression of both miR-143 and miR-145a while no genomic editing was observed for the mir-143 locus. Noteworthy, the expression of *Carmn*, a long non coding RNA in the vicinity of the miR-143~145 cluster that constitutes an independent transcription unit did not differ in miR-145a edited cells confirming that only the primary miRNA transcript is affected. On the contrary, gene editing in the miR-17~92 and miR-106b~25 clusters, two miRNA clusters with a key function in the cardiovascular system, resulted in targeted miRNA inhibition. MiR-18a and miR-25 were targeted on each cluster, respectively. Specific editing only for the intended miRNA locus was observed and QPCR quantification indicated inhibition of the edited miRNA. No effect on the expression of other miRNAs occurred, both for cluster miR-17~92 and miR-106b~25.

Detailed analysis of the gene editing in the four clusters revealed that the unintended inhibition of miRNA expression in the cluster coincides with disruption of sequence motifs of

the terminal loop of the targeted hairpin, suggesting that these elements are critical for the maturation not only of individual hairpins but the entire primary transcript in miRNA clusters.

Conclusions: CRISPR/Cas9 emerged as a powerful tool that can offer novel insights into the role of miRNAs in cardiovascular diseases.

Authors

Names	Institution
Mr Lazaros Lataniotis	King's British Heart Foundation Centre, King's College London
Prof Andreas Albrecht	Middlesex University
Dr Fatma Kok	University of Massachusetts Medical School
Dr Clinton Monfries	King's College London, Randall Division
Dr Lorena Benedetti	King's College London, Division of Cancer Studies
Prof Nathan D Lawson	University of Massachusetts Medical School
Prof Simon M Hughes	King's College London, Randall Division
Dr Kathleen Steinhofel	King's College London, Informatics Department
Prof Manuel Mayr	King's British Heart Foundation Centre, King's College London
Dr Anna Zampetaki	King's British Heart Foundation Centre, King's College London